



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

GHS Label elements, including precautionary statements

Signal word **None**

Hazard Statements

None

Other hazards which do not result in classification

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery

Environmental properties

The product may form an oil film on the water surface that may stop the oxygen exchange.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

The product is made from synthetic base oils.

Chemical Name	CAS-No	EC-No	Weight %
Reaction products of 1-decene, 1-dodecene and 1-octene, hydrogenated	163149-28-8	605-315-2	10-<20
Reaction products of 1-decene, hydrogenated	68649-12-7	-	10-<20
10-ethyl-12-heptyl-11,13-dimethyltricosane; 8-ethyl-9,11-dimethyl-10-nonylnonadecane	151006-60-9	604-767-8	10-<20
Polysulfides, di-tert-Bu	68937-96-2	273-103-3	2.5-<5
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	^	700-308-1	3-<5
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14-tert-alkyl	^	931-384-6	1-<2.5
1-Dodecene dimer with 1-Decene, hydrogenated	151006-58-5	604-766-2	1-<3
O,O,O-triphenyl phosphorothioate	597-82-0	209-909-9	0.3-<1

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Protection of First-aiders	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Skin contact	Not classified based on available data. May produce an allergic reaction. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	Not classified based on available data.
Inhalation	Not classified based on available data. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media	Carbon dioxide (CO ₂). ABC powder. Foam. Water spray or fog.
-------------------------------------	--

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides (SO₂ and SO₃) and Hydrogen sulphide H₂S, Phosphorous oxides, Nitrogen oxides (NO_x), Mercaptans.

Advice for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Other information

Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions

General Information Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or similar non-combustible materials.

Methods for cleaning up Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.

Other information

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Mineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined).

Appropriate engineering controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

Individual protection measures, such as personal protective equipment (PPE)

Personal Protective Equipment

General Information	Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product ITSELF. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.
Respiratory protection	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387): Type A/P1. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
Eye Protection	If splashes are likely to occur, wear: Safety glasses with side-shields. EN 166.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Type 4/6.
Hand Protection	Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	limpid		
Color	yellow		
Physical State @20°C	liquid		
Odor	Characteristic		
Odor Threshold	No information available		
Property	Values	Remarks	Method
pH		Not applicable	
Melting point/range		Not applicable	
Boiling point/boiling range		No information available	

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

Flash point	> 200 °C > 392 °F		ASTM D 93 ASTM D 93
Evaporation rate		No information available	
Flammability Limits in Air			
upper		No information available	
Lower		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Relative density	0.885	@ 15 °C	DIN 51757 D
Density	885 kg/m ³	@ 15 °C	DIN 51757 D
Water solubility		Insoluble	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, kinematic	183 mm ² /s	@ 40 °C	ASTM D445
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	None under normal processing		

9.2. Other information

Freezing Point No information available

10. STABILITY AND REACTIVITY

<u>Reactivity</u>	None under normal processing.
<u>Chemical stability</u>	Stable under recommended storage conditions.
<u>Possibility of hazardous reactions</u>	No dangerous reaction known under conditions of normal use.
<u>Conditions to avoid</u>	Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat and sparks.
<u>Incompatible materials</u>	Strong oxidizing agents.
<u>Hazardous Decomposition Products</u>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Phosphorous oxides, Nitrogen oxides (NO _x), Mercaptans, Combustion products include sulphur oxides (SO ₂ and SO ₃) and Hydrogen sulphide H ₂ S.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Not classified based on available data. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

Ingestion	Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Skin contact	Not classified based on available data. May produce an allergic reaction. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	Not classified based on available data.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity - Product Information

Oral	Not classified based on available data.
ATEmix (oral)	> 5,000.00 mg/kg
4.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity	
Dermal	Not classified based on available data.
ATEmix (dermal)	> 5,000.00 mg/kg
4.6 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity	
Inhalation	Not classified based on available data
ATEmix (inhalation-gas)	> 20,000.00 ppm
55.66 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)	
ATEmix (inhalation-vapor)	465.70 mg/l
53.66 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)	
ATEmix (inhalation-dust/mist)	8.79 mg/l
31.065 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)	

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Reaction products of 1-decene, 1-dodecene and 1-octene, hydrogenated 163149-28-8	LD50 5000 mg/kg bw (rat - OECD 403)	LD50 2000 mg/kg bw (rat - OECD 402)	
Reaction products of 1-decene, hydrogenated 68649-12-7	LD50 > 5000 mg/kg (Rat - OECD 401)	LD50 > 2000 mg/kg (Rabbit - OECD 402)	LC50 (4h) > 5000 mg/m ³ (Rat - Aerosol - OECD 403)
10-ethyl-12-heptyl-11,13-dimethyltri cosane; 8-ethyl-9,11-dimethyl-10-nonylnona decane 151006-60-9	LD50 5000 mg/kg bw (rat)	LD50 2000 mg/kg bw (rat - OECD 402)	LC50(4h) 5mg/L (rat - OECD 403)
Hydrogenated dimerization products	LD50 >5000 mg/kg bw (rat-OECD)	LD50 >2000 mg/kg bw (rat-OECD)	LC50 (4h) 1170 mg/m ³ (aerosol)

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

of 1-decene, 1-dodecene and 1-octene ^	401)	402)	rat-OECD 403) LC50 (4h) 1400 - 2000 mg/m ³ (aerosol rat-OECD 403) LC50 (4h) 900 - 1400 mg/m ³ (aerosol rat-OECD 403)
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl ^	LD50 2000 mg/kg bw (Rat - OECD TG 401)		-
1-Dodecene dimer with 1-Decene, hydrogenated 151006-58-5	LD50 > 2000 mg/kg (rat - OECD 420)	LD50 > 2000 mg/kg (rat - OECD 402)	

Skin corrosion/irritation	Not classified based on available data.
Serious eye damage/eye irritation	Not classified based on available data. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required.
Sensitization	Not classified based on available data. Contains sensitizer(s). May produce an allergic reaction. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required.
Carcinogenicity	Not classified based on available data.
Germ Cell Mutagenicity	Not classified based on available data
Reproductive toxicity	Not classified based on available data. Contains toxic substance(s) listed as toxic to reproduction.
Target Organ Effects (STOT)	None known
STOT - single exposure	Not classified based on available data
STOT - repeated exposure	Not classified based on available data
Aspiration hazard	Not classified based on available data.
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

Ecotoxicity

Not classified based on available data.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Reaction products of 1-decene, hydrogenated 68649-12-7	EL50 (72h) > 1000 mg/l (WAF - Scenedesmus capricornutum - static - OECD 201)	EL50 (48h) > 1000 mg/l (WAF - Daphnia magna - static - OECD 202)	LC50 (96h) > 1000 mg/l (WAF - Oncorhynchus mykiss - semi static)	
10-ethyl-12-heptyl-11,13-dimethyltricosane; 8-ethyl-9,11-dimethyl-10-nonylnonadecane 151006-60-9				EC50(16h) 10000 mg/L
Polysulfides, di-tert-Bu 68937-96-2	EC50 (72h) > 100 mg/l (Alga)	EC50 (48h) 63 mg/l (Daphnia magna)		
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene ^	EL50 (72h) > 1000 mg/l (Senastrum capricornutum)	LL50 (96h) > 5056 mg/l (Americamysis bahia) EL50 (48h) >1000 mg/l (Daphnia magna)	EL50 (96h) >1000 mg/l (Pseudokirchneriella subcapitata) LL50 (96h) >1000 mg/l (Oncorhynchus mykiss) LL50 (96h) >5003 mg/l (Cyprinodon variegatus - OECD 203)	
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl ^	EL50 (96h) > 15 mg (Senastrum capricornutum - OECD 201) EC50 (96h) 6.4 mg/l (Pseudokirchneriella subcapitata - OECD 201) EC50 (96h) 15 mg/l (Pseudokirchneriella subcapitata - OECD 201) EC50 (96h) 6.4 mg/L (Senastrum capricornutum- OECD TG 201) (ECHA CHEM)	EL50 (48h) ca. 91.4 mg/l (Daphnia magna - OECD 202)	LL50 (96h) ca. 24 mg/l (Oncorhynchus mykiss - OECD 203)	
1-Dodecene dimer with 1-Decene, hydrogenated 151006-58-5	EC50(96h) > 1000 mg/l (Pseudokirchneriella subcapitata)	EL50(48h) > 150 mg/l (Daphnia magna)	LL50(96h) > 1000 mg/l (Oncorhynchus mykiss)	
O,O,O-triphenyl phosphorothioate 597-82-0	EC50(72h) >100 mg/l (Scenedesmus quadricauda)	EC50(48h) >100 mg/l (Daphnia Magna)	LC50(96h) >100 mg/l (Zebra Fish)	EC50(3h) >100 mg/l (sludge)

Chronic aquatic toxicity - Product Information

No information available.

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Reaction products of 1-decene, hydrogenated 68649-12-7		NOELr(21d) 125 mg/l (Daphnia magna)		
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene ^		EL50 (21d) > 1000 mg/l (Daphnia magna - OECD 211) LL50 (21d) > 1000 mg/l (Daphnia magna - OECD 211) NOEL (21d) 1000 mg/l (Daphnia magna - OECD 211) NOELR (21d) > 1000 mg/l (Daphnia magna)	NOEL (96h) >5003 mg/l (Cyprinodon variegatus - OECD 203)	
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl ^	NOEC (96h) 1.7 mg/l (Pseudokirchnerella subcapitata - OECD 201) par NOEC (96h) 3.3 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (21d) 0.91 mg/l (Daphnia magna - OECD 211) NOEL (21d) 0.12 mg/l (Daphnia magna - OECD 211) EL50 (21d) 0.66 mg/l (Daphnia magna - OECD 211)	-	EC50 (3h) ca. 2433 mg/L (Activated Sludge, domestic - OECD TG 209) (ECHA CHEM)
O,O,O-triphenyl phosphorothioate 597-82-0		NOEC(21d) >5.5 mg/l (Daphnia Magna)		

Effects on terrestrial organisms No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

Product Information

No information available.

logPow

No information available

Component Information

Chemical Name	log Pow
Reaction products of 1-decene, hydrogenated - 68649-12-7	5
Polysulfides, di-tert-Bu - 68937-96-2	6
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl - ^	< 0.30 to >7.10 (OECD TG 117) (ECHA CHEM)

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

Mobility

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	The product is insoluble and floats on water.

Other adverse effects**General Information** No information available.

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Products	Should not be released into the environment. Do not empty into drains. Dispose of in accordance with all applicable national environmental laws and regulations. Where possible recycling is preferred to disposal or incineration.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other information	Refer to section 8 for safety and protective measures for disposal personnel.

14. TRANSPORT INFORMATION

<u>ADR/RID</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated
<u>ICAO/IATA</u>	Not regulated

15. REGULATORY INFORMATION

National regulatory information**New Zealand**

- See section 8 for national exposure control parameters
- This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO)

New Zealand HSNO approval code or group standard HSR002605, Lubricants (Low Hazard)

This SDS may not cover all of the controls relevant for this substance or mixture. The Environmental Protection Authority of New Zealand (EPA) 'User Guide to the HSNO Controls' should be consulted for a comprehensive list of controls and reference to the regulations

Version ZGHS



SDS # : 083350

TRANSMISSION AXLE 8 FE 75W-140

Issuing date: 2019-01-15

Revision Date: 2019-01-15

Version 1

16. OTHER INFORMATION

Issuing date: 2019-01-15
Revision Date: 2019-01-15
Revision Note No information available

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

Legend:

Section 8

Ceiling:	Maximum limit value	TWA:	Time weighted average
STEL:	Short term exposure limit	*	Skin designation
+	Sensitizer	C	Carcinogen

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet